



推力垫圈、推力轴圈及推力座圈

Thrust washers, AS, WS, GS and LS

轴径 Shaft Diameter (mm)	垫圈代号 Washers Designation		外形尺寸 Boundary Dimensions (mm)			重量 Weight (Kg)
	现行代号 Current Designation	原代号 Original Designation	dp1、d、D1	Dp、d1、D	S、B	
10	LS 1024		10	24	2.75	0.001616
10.2	WS 10201.5	7589900	10	20	1.5	0.00274
	GS 10201.5	7589900	10.2	20	1.5	0.00272
12	GS 12358/YA	SZ-922	12	35	8	0.03180
14.3	6559273		14.3	25	1.7	
	6559275		14.3	25	1.8	
	6559277		14.3	25	1.9	
	6559279		14.3	25	2	
	6559285		14.3	25	2.3	
14.32	GS14.32X25.56X(1.85~2.4)	6559259-(14~25)	14.32	25.56	1.85~2.4	0.00508~0.006587
	6559280		14.32	25.56	2.05	0.00552
15	6559261		15	28	1.56	0.00495
15.46	GS15.46X27.76X1.56	6559261	15.46	27.76	1.56	0.00495
16	GS16X34.49X(2.235~2.385)	6559313~6559319	16	34.49	2.235	0.01256~0.01341
	6559313		16	34.5	2.235	
	6559314		16	34.5	2.26	
	6559315		16	34.5	2.285	
	6559316		16	34.5	2.31	
	6559317		16	34.5	2.335	
	6559320		16	34.5	2.41	0.013881
17	WS 81103		17	30	2.75	0.00980
	GS 81103		18	30	2.75	0.00920
	WS 17352.5	(SZ-D913)	17	35	2.5	0.01392
17.2	GS 17352.5	(SZ-D913)	17.2	35	2.5	0.01384
20	WS 20352.5	7589104	20	35	2.5	0.01231
20.2	GS 20352.5	7589104	20.2	35	2.5	0.01219
20.59	LS20.59X32.39X2.63	6558098	20.59	32.39	2.63	0.01000

轴径 Shaft Diameter (mm)	垫圈代号 Washers Designation		外形尺寸 Boundary Dimensions (mm)			重量 Weight (Kg)
	现行代号 Current Designation	原代号 Original Designation	dp1、d、D1	Dp、d1、D	S、B	
21	WS 21422	589704(21X42X2)	21	42	2	0.01606
23	LS 23606	LS 236006	23	60	6	0.11282
25	WS 81105		25	42	3	0.02014
	GS 81105		26	42	3	0.01942
28.55	EP-Y96		28.55	57.86	7.06	0.11024
30	LS 3047/YB4	LS 304703/YB4	30	47	3	0.02421
	WS 81106		30	47	3	0.02316
	GS 81106		32	47	3	0.02108
	LS 30656/YB4	LS 306506/YB4	30	65	6	0.12300
31.725	EP-Y112		31.725	68.529	6.98	0.15790
31.852	EP-S96		31.852	57.86	7.06	0.10160
34	WS34X77.5X7/YB4		34	77.5	7	0.20930
35	WS 81107		35	52	3.5	0.03059
37	GS 81107		37	52	3.5	0.02774
38	WS38X77.5X7/YB4		38	77.5	7	0.19660
38.154	EP-H96		38.154	57.861	7.06	0.08151
38.189	EP-S128		38.189	69.875	7.06	0.14915
40	CP 3 40 60		40	59.5	3	0.03110
	WS 81108		40	60	3.5	0.04157
	GS 81108		42	60	3.5	0.03834
	WS 40653		40	65	3	0.04822
	GS 40653		42	65	3	0.04521
43.434	WS43.434X63.5X3.2		43.434	63.5	3.2	0.042334
45	WS 81109		45	65	4	0.05240
	GS45X77.5X7.5/YB4		45	77.5	7.5	0.17787
	GS 81109		47	65	4	0.04815
55	WS 81111	(589111)	55	78	5	0.08706
	GS 81111	(589111)	55.2	78	5	0.08616
60	WS 60855	(SZ-901)	60	85	5	0.11098
	GS 60855	(SZ-901)	60	85	5	0.11091
65	WS 65905	(SZ-902)	65	90	5.5	0.13050
	GS 65905	(SZ-902)	65	90	5.5	0.13045
110	GS 1101455		110	145	5	0.27270

推力垫圈、推力轴圈及推力座圈

Thrust washers、AS、WS、GS and LS

轴径 Shaft Diameter	垫圈代号		外形尺寸			重量 Weight (Kg)
	现行代号 Current Designation	原代号 Original Designation	dp1、d、D1	Dp、d1、D	S、B	
4	AS 0414		4	14	1	0.000814
5	AS 0515		5	15	1	0.001195
5.5	AS5.517/05/YB4		5.5	17	0.5	0.000793
6	AS 0614/08		6	14	0.8	0.00078
	AS 0619		6	19	1	0.00190
6.4	TRA-411		6.4	17.45	0.8	0.00120
7	AS 0715/08		7	15	0.8	0.000868
7.1	CP 715		7.1	14.4	0.8	0.00080
7.5	8103118		7.5	11	0.2~0.5	0.000199
8	AS 0821		8	21	1	0.00230
10	AS 102001		10	20	1	0.00184
	AS102201		10	22	1	0.002368
	AS 1024		10	24	1	0.00300
12	AS 1226		12	26	1	0.00320
	LS 1226		12	26	2.75	0.008996

轴径 Shaft Diameter (mm)	垫圈代号 Washers Designation		外形尺寸 Boundary Dimensions (mm)			重量 Weight (Kg)
	现行代号 Current Designation	原代号 Original Designation	dp1、d、D1	Dp、d1、D	S、B	
12.6	716202		12.6	16.8	0.2~0.5	0.000381
13	AS 132001		13	20	1	0.00142
15	TRA-815		15	23.8	0.8	0.00198
	CP1528		15	28	0.8	0.00280
	AS 1528	AS152801	15	28	1	0.00340
15.88	TWA 1018		15.88	28.58	0.81	0.00282
16	AS1621		16	21	1	0.0010
17	AS 1722/05		17	22	0.5	0.00060
	AS 1730	AS 173001	17	30	1	0.00370
17.2	717852		17.2	33	1.705~1.795	0.00293
	8103103		17.2	34	2.135~2.285	0.0121
	8103105		17.2	37	2.135~2.285	0.0151
20	AS 2035		20	35	1	0.00505
21	AS 2130/08		21	30	0.8	0.00230
	AS 2130/12		21	30	1.2	0.00520
22.22	TRD-1427		22.22	42.85	3.2	0.026320
23	LS 236006		23	60	6	0.05520
24	LS245204		24	52	4	0.05215
25	AS 2542/08	(SZ 912)	25	42	0.8	0.01120
	AS 2542		25	42	1	0.00700
25.2	AS 25.2X 39X 1.4/YA	SZ-919	25.2	39	1.4	0.00420
25.4	TWA1625		25.4	39.67	0.8	0.00441
28	LS 285204		28	52	4	0.04700
	LS285404/YB4		28	54	4	0.05258
30	AS 3047	AS 304701	30	47	1	0.00800
	垫片30X68X1		30	68	1	0.02140
31.75	TRA-2031		31.75	49.2	0.8	0.00662
	AS31.75X49.20X1.0		31.75	49.2	1	0.00828
35	AS 3552		35	52	1	0.00906
40	AS 4060	AS 406001	40	60	1	0.01225
44.45	TWA2840		44.45	63.5	0.81	0.01027
45	AS 45X64X1.7		45	64	1.7	0.02171
	CP 4565		45	64.4	0.8	0.01040
	AS 4565		45	65	1	0.01330
50	AS 5070	AS 507001	50	70	1	0.01470
55	AS 5578	AS 557801	55	78	1	0.01873
57.15	TRA-3648		57.15	76.2	0.81	0.01260
60	AS 6085		60	85	1	0.02220
63.5	TRA-4052		63.5	82.55	0.8	0.01700
63.74	127508		63.74	82.75	1	0.0169
65	AS 6590		65	90	1	0.02389
69.9	AXK69.9X92.5X3.175		69.9	92.5	3.175	0.02890
110	AS 110145		110	145	1	0.05500